



REFERÊNCIAS
BIBLIOGRÁFICAS

6. REFERENCIAS BIBLIOGRAFICAS

- ATKINSON, S.E., KHANOLKAR-YOUNG, S., MARLOWE, S., JAIN, S., REDDY, R.G., SUNEETHA, S., LOCKWOOD, D.N.J. Detection of IL-13, IL-10, and IL-6 in the leprosy skin lesions of patients during prednisolone treatment for type 1 (T1 R) reactions. **Int. J. Lepr.**, v.72, n.1, p.27-34, 2004.
- BARBOSA JR, A.A., SILVA, T. C., PATEL, B.N., SANTOS, M.I.R., WAKAMATSU, A., ALVES, V.A.F. Demonstration of mycobacterial antigens in skin biopsies from suspected leprosy cases in the absence of bacilli. **Path. Res. Pratt.**, v.190, p.782-785, 1994.
- BOGDAN, C., PAIK, J., VODOVOTZ, Y., NATHAN, C. Contrasting mechanisms for suppression of macrophage cytokine release by transforming growth factor-0 and interieukin-10. **J. Biol. Chem.**, v.267, n.32, p.23301-23308, 1992.
- BOGDAN, C., NATHAN, C. Modulation of macrophage function by transforming growth factor-13, interleukin-4, and interleukin-10. **Ann. NY Acad. Sci.**, v.685, p.713-739, 1993.
- CHAN, S.H., PERUSSIA, B., GUPTA, J.W., KOBAYASHI, M., POSPÉSIL, M., YOUNG, H.A., WOLF, S.F., YOUNA, D., CLARK, S.C., TRINCHERI, G. Induction of γ -IFN production by NK cell stimulatory factor (NKSF): characterization of the responder cells and synergy with others inducers. **J. Experiment. Med.**, v.173, n.4, p.869-879, 1991.
- CONVERSE, P.J., BJUNE, G. Natural killer (NK) cell activity and reversal reaction in leprosy. **Int. J. Lepr. Other Micobact. Dis.**, v.54, n.4, p.503-509, 1986.
- CUTURI, M.C., ANÉGON, I., SHERMAN, F., LOUDON, R., CLARK, S.C., PERRUSSIA, B., TRINCHIERI, B. Production of hematopoietic colony-stimulating factors by human natural killer cells. **J. Experiment. Med.**, v.69, p.569-583, 1989.

- CUTURI, M.C., ANÉGON, I., SHERMAN, F., LOUDON, R., CLARK, S.C., PERRUSSIA, B., TRINCHIERI, B. Production of hematopoietic colony-stimulating factors by human natural killer cells. *J. Experiment. Med.*, v.69, p.569-583, 1989.
- DE LA BARRERA, S., FINIASZ, M., FINK, S., ILARREGUI, J., ALEMAN, M., OLIVARES, L, FRANCO, M.C., PIZZARIELLO, G., DEL CARMEL SASIAIN, M. NK cells modulate the cytotoxic activity generated by *Mycobacterium leprae-hsp65* in leprosy patients: role of IL-18 and IL-13. *Clin. Exp. Immunol.*, v.135, n.1, p.105-113, 2004.
- DEL PRETE, G., DE CARLI, M., ALMERIGOGNA, F., GIUDIZI, M.G., BIAGIOTTI, R., ROMAGNANI, S. Human IL-10 is produced by both type 1 helper (Th1) and type 2 helper (Th2) T cell clones and inhibits their antigen-specific proliferation and cytokine production. *J. Immunol.*, v.150, n.2, p.353-360, 1993.
- DHARMENDRA. Classification of leprosy. In: HASTINGS, R.C. **Leprosy**, 2nd ed., Churchill Livingstone, New York, pp.179-190, 1994.
- ERNST, W.A., THOMA-USZINSKI, S., TEITELBAUM, R., KO, C., HANSON, D.A., CLAYBERGER, C., KRENSKY, A.M., LEIPPE, M., BLOOM, B.R., GANZ, T., MODLIN, R.L. Granulysin, a T cell product, kills bacteria by altering membrane permeability. *J. Immunol.*, v.165, p.7102-7108, 2000.
- FACCHETTI, F., VERMI, W., FIORENTINI, S., CHILOSI, M., CARUSO, A., DUSE, M., NOTARANGELO, L.D., BADOLATO, R. Expression of inducible nitric oxide synthase in human granulomas and histiocytic reactions. *Am. J. Pathol.*, v.154, n.1, p.145-152, 1999.
- FAKHOURI, R., SOTTO, M.N., MANINI, M.I.P., MARGARIDO, L.C. Nodular leprosy of childhood and tuberculoid leprosy: a comparative, morphologic,

REFERÊNCIAS BIBLIOGRÁFICAS

- immunopathologic and quantitative study of skin tissue reaction. **Int. J. Lepr.**, v.71, n.3, p.218-226, 2003.
- FIORENTINO, D.F., BOND, M.W., MOSMANN, T.R. Two types of mouse T helper cell. IV. Th2 clones secrete a factor that inhibits cytokines production by Th1 clones. **J. Exp. Med.**, v.170, p.2081-2095, 1989.
- FIORENTINO, D.F., ZLOTNIK, A., MOSMANN, T.R., HOWARD, M., O'GARRA, A. IL-10 inhibits cytokine production by activated macrophages. **J. Immunol.** Baltimore, v. 147, n. 11, pp.3815-3822, 1991.
- FLEURY, R.N. Dificuldades no emprego da classificação de Ridley e Jopling — uma análise morfológica. **Hans. Int.**, vol. 14, n. 2, pp.101-106, 1989.
- FOX, S.W., CHOW, J.W. Nitric oxide synthase expression in bone cells. **Bone**, v.23, n.1, p.1-6, 1998.
- FUKUTOMI, Y., MATSUOKA, M., MINAGAWA, F., TORATANI, S., MCCORMICK, G., and KRAHENBUHL, J. IL-10 treatment of macrophages bolsters intracellular survival of mycobacterium leprae. **Int. J. Lepr.**, vol. 72, n. 1, pp.16-26, 2004.
- GARCIA, V.E., UYEMURA, K., SIELING, P.A., OCHOA, M.T., MORITA, C.T., OKAMURA, H., KURIMOTO, M., REA, T.H., MODLIN, R.L. IL-18 promotes type 1 cytokine production from NK cells and T cells in human intracellular infection. **J. Immunol.**, v.162, n.10, p.6114-6121, 1999.
- GALLINELLI, R.T., OSWALD, I.P., JAMES, S.L., SCHER, A. IL-10 inhibits parasite killing and nitrogen oxide production by IFN- γ -activated macrophages. **J. Immunol.**, v.148, n.6, p.1792-1796, 1992.
- GOLDSBY, R.A., KINDT, T.J., OSBORNE, B.A. **Kuby Imunologia**, 48 ed. Rio de Janeiro:Revinter , 2002, p.239-267.

REFERÊNCIAS BIBLIOGRÁFICAS

- GOULART, I.M.B. FIGUEIREDO, F., COIMBRA, T., FOSS, N.T. Detection of transforming growth factor-b1 in dermal lesions of different clinical forms of leprosy. **Am. J. Pathol.**, v.148, p.911-917, 1996.
- HARBOE, M. Overview of host-parasite relations. In: HASTINGS, R.C. **Leprosy**, 2nd. ed New York:Churchill Livingstone, p.87-112, 1994.
- HUNTER, S.W., BRENNAN, P.J. A novel phenolic glycolipid from *Mycobacterium leprae* possibly involved in immunogenicity and pathogenicity. **J. Bacteriol**, v.147, p.728-735, 1981.
- HUNTER, S.W., FUJIWARA, T., BRENNAN, P.J. Structure and antigenicity of the major specific antigen of *Mycobacterium leprae*. **J. Biol. Chem.**, v. 257, p.15072-15078, 1982.
- JOB, C.K. Pathology of leprosy. In: HASTINGS, R.C. **Leprosy**, 2nd. ed. Churchill Livingstone:New York, p.193-224, 1994.
- JOPLING, W.H. Leprosy reactions (reactional states). In: **Handbook of leprosy**. 2. ed. William Heinemann Med. Books, p.66-74, 1978.
- KATO, H., SANADA, K., KOSEKI, M., OZAWA, T., Identification lymphocyte subpopulations in cutaneous lesions of leprosy. **Jpn. J. Leprosy**, v.52, p.126-132, 1983.
- KAUFMANN, S.H.E. Cell-mediated immunity. In: HASTINGS, R.C. **Leprosy**, 2nd ed. New York:Churchill Livingstone, 1994, p.157-168.
- KHANOLKAR-YOUNG, S., SNOWDON, D., LOCKWOOD, D.N.J. Immunocytochemical localization of inducible nitric oxide synthase and transforming growth factor-beta (TFG-f3) in leprosy lesions. **Clin. Exp. Immunol.**, v.113, p.438-442, 1998.

REFERÊNCIAS BIBLIOGRÁFICAS

- KIRCHHEIMER, W.F., STORRS, E.E. Attempts to establish the armadillo (*Dasypus novemcinctus* Linn.) as a model for the study of leprosy. **Int. J. Lepr.**, v.39, p.693-702, 1971.
- KRAHENBUHL, J.L., ADAMS, L.B. The role of the macrophage in resistance to the leprosy bacillus. **Immunol. Ser.**, v.60, p.281-302, 1994.
- KUTZNER, H., ARGENYI, LB., REQUENA, L., ROTTEN, A., HÜGEL, H. A new application of BCG antibody for rapid screening of various tissue microorganisms. **J. Am. Acad. Dermatol.**, v.38, n.1, p.56-60, 1998.
- LASTORIA, J.C., OPROMOLLA, D.V.A., FLEURY, R.N., HABERMANN, F., and CURT, P.R. Serial Mitsuda testes for identification of reactional borderline leprosy forms. **Int. J. Lepr.**, v.66, n.2, p.190-200, 1998
- LIEW, F.Y. The role of nitric oxide in parasitic disease. **Ann. Trop. Med. Parasitol.**, v.87, n.6, p.634-642, 1993.
- LITTLE, D., KHANOLKAR-YOUNG, S., COULTHART, A., SUNEETHA, S., LOCKWOOD, D.N.J. Immunohistochemical analysis of cellular infiltrate and gamma interferon, interleukin-12, and inducible nitric oxide synthase expression in leprosy type 1 (reversal) reactions before and during prednisolone treatment. **Infect. Immun.**, v.69, n.5, p.3413-3417, 2001.
- LOCKWOOD, D.N.J., COLSTON, M.J., KHANOLKAR-YOUNG, S.R. The detection of *Mycobacterium leprae* protein and carbohydrate antigens in skin and nerve from leprosy patients with type 1 (reversal) reactions. **Am. J. Trop. Med. Hyg.**, v.66, n.4, p.409-415, 2002.
- MEHRA, V., BRENNAN, P.J., RADA, E., CONVIT., J., BLOOM, B.R. Lymphocyte suppression in leprosy induced by unique *M. leprae* glycolipid. **Nature**, v.308, p.194-196, 1984.

REFERÊNCIAS BIBLIOGRÁFICAS

- MODLIN, R.L., HOFMAN, F.M., TAYLOR, C.R., REA, T.H. T lymphocyte subsets in the skin lesion of patients with leprosy. **J. Am. Acad. Dermatol.**, v.8, p.182-189, 1983.
- MODLIN, R.L., MELANCON-KAPLAN, J., YOUNG, S.M.M., PIRMEZ, C., KING, H., CONVIT, J., REA, T.H., BLOOM, B.R. Learning from lesions: patterns of tissue inflammation in leprosy. **Proc. Natl. Acad. Sci. USA.**, v.85, p.1213-1217, 1988.
- MODLIN, R.L., REA, T.H. Immunopathology of leprosy. In: HASTINGS, R.C. **Leprosy**, 2^{da} ed. New York: Churchill Livingstone, 1994, p.225-234.
- MODLIN, R.L. Th1-Th2 paradigm: insights from leprosy. **J. Invest. Dermatol.**, v.102, p.828-832, 1994.
- MODLIN, R.L. Learning from leprosy: insights into contemporary immunology from an ancient disease. **Skin Pharmacol. Appl. Skin Physiol.**, v.15, p.1-6, 2002.
- MONCADA, S., PALMER, R.M., HIGGS, A. Nitric oxide: physiology, pathophysiology and pharmacology. **Pharmacol. Rev.**, v.43, n.2, p.109-142, 1991.
- MONCADA, S., HIGGS, A. The L-arginine-nitric oxide pathway. **N. Engl. J. Med.**, v.329, n.27, p.2002-2012, 1993.
- MOSMANN, T.R., CHERWINSKY, H., BOND, M.W., GIEDLIN, M.A., COFFMAN, R.L. Two types of murine helper T cell clone. I - Definition according to profiles of lymphokine activities and secreted proteins. **J. Immunol.**, v.136, n.7, p.2348-2357, 1986.
- MOSMANN, T.R. Regulation of immune responses by T cells with different cytokine secretion phenotypes: role of a new cytokine, Cytokine Synthesis Inhibitory Factor (IL-10). **Int. Arch. Allergy and Applied Immunol.**, v.94, n. 14, p.110-115, 1991.

- NARAYANAN, R.B., BHUTANI, L.K., SHARMA, A.K., NATH, I. T cell subsets in leprosy lesions: *in situ* characterization using monoclonal antibodies. **Clin. Exp. Immunol.**, v.51, p.421-429, 1983.
- NARAYANAN, RB., GIRDHAR, B.K., MALAVIYA, G.N., SENGUPTA, U. *In situ* demonstration of *Mycobacterium leprae* antigens in leprosy lesions using monoclonal antibodies. **Immunology Lett.**, v.24, p.179-184, 1990.
- NATRAJAN, M., KATOCH, K., KATOCH, V.M. Histology and immuno-histology of lesions clinically suspicious of leprosy. **Acta Leprologica**, v.11, n.3, p.93-98, 1999.
- NEILL, M.A., KLEBANOFF, S.J. The effect of phenolic glycolipid-I from *Mycobacterium leprae* on the antimicrobial activity of human macrophages. **J. Exp. Med.**, v.167, p.30-42, 1988.
- OLIVEIRA, S.H., FONSECA, S.G., ROMÃO, P.R., FIGUEIREDO, F., FERREIRA, S.H., CUNHA, F.O. Microbicidal activity of eosinophils is associated with activation of the arginine-NO pathway. **Parasite Immunol.**, v.20, n.9, p.405-412, 1998.
- OPROMOLLA, D.V.A. and FLEURY, R.N. Classification of leprosy. In: LATAPI, F., ET AL., **Leprosy**. Proceedings of the XI International Leprosy Congress, Amsterdam: Excerpta Médica, p. 254-60, 1978.
- PAGLIARI, C., DUARTE, M.I.S., SOTTO, M.N. Pattern of mycobacterial antigen detection in leprosy. **Rev. Inst. Med. trop. São Paulo**, v.37, n.1, p.7-12, 1995.
- PRASAD, H.K., MISHRA, R.S., NATH, I. Phenolic glycolipid-1 of *Mycobacterium leprae* induces general suppression of *in vitro* concanavalin A responses unrelated to leprosy type. **J. Exp. Med.**, v.165, p.239-244, 1987.

REFERÊNCIAS BIBLIOGRÁFICAS

- PAGLIARI, C., DUARTE, M.I.S., SOTTO, M.N. Pattern of mycobacterial antigen detection in leprosy. **Rev. Inst. Med. trop. São Paulo**, v.37, n.1, p.7-12, 1995.
- PRASAD, H.K., MISHRA, R.S., NATH, I. Phenolic glycolipid-1 of *Mycobacterium leprae* induces general suppression of *in vitro* concanavalin A responses unrelated to leprosy type. **J. Exp. Med.**, v.165, p.239-244, 1987.
- RABELLO, F.E. Clinical aspects: The polar concept. In: LATAPI, F., et al. **Leprosy**. Proceedings of the XI International Leprosy Congress. Amsterdam: Excerpta Médica, 1978, p. 63-67.
- REES, R.J.W., YOUNG, D.B. The microbiology of leprosy. In: HASTINGS, R.C. **Leprosy**, 2^ª ed. New York:Churchill Livingstone, p.49-83, 1994.
- RIDLEY, D.S., and JOPLING, W.H. A classification of leprosy for research purposes. **Lepr. Rev.**, v.33, p.119-128, 1962.
- RIDLEY, D.S., and JOPLING, W.H. Classification of leprosy according to immunity - a five - group system. **Int. J. Lepr.**, v.34, p.255-273,1966.
- RIDLEY, D.S. Skin biopsy in leprosy, 2^ª ed. CIBA-GEIGY: Switzerland, 1987. 63p.
- ROMAGNANI, S. Induction of Th1 and Th2 responses: a key role for the "natural" immune response? **Immunol. Today**, v.13, n.10, p.379-381, 1992.
- ROITT, I., BROSTOFF, J., MALE, D. Imunologia 5^a ed. São Paulo: Manole, 1999, p.229-242, a.
- ROITT, I., BROSTOFF, J., MALE, D. Imunologia 5^a ed. São Paulo: Manole, 1999, p.13-30, b.
- ROITT, I., BROSTOFF, J., MALE, D. Imunologia 5^a ed. São Paulo: Manole, 1999, p.139-153, c.

REFERÊNCIAS BIBLIOGRÁFICAS

- ROSS, R., GILLITZER, C., KLEINZ, R., SCHWING, J., KLEINERT, H., FÓRSTERMANN, U., RESKE-KUNZ, A.B. Involvement of NO in contact hypersensitivity. **Int. Immunol.**, v.10, n.1, p.61-69,1998.
- SHEPARD, C.C., MCRAE, D.H. *Mycobacterium leprae* in mice: minimal infectious dose, relationship between staining quality and infectivity, and effect of cortisone. **J. Bacteriol.**, v.89, p.365-372, 1965.
- SCHETTINI, A.P.M., FERREIRA, L.C.L., MILAGROS, R., SCHETTINI, M.C.A., PENNINI, S.N., REBELLO, P.B. Enhancement in the histological diagnosis of leprosy in patients with only sensory loss by demonstration of mycobacterial antigens using anti-BCG polyclonal antibodies. **Int. J. Lepr.**, v.69, n.4, p.335-340, 2001.
- SHETTY, V.P., UPLEKAR, M.W., ANITA, N.H. Immunohistological localization of mycobacterial antigens within the peripheral nerves of treated leprosy patients and their significance to nerve damage in leprosy. **Acta Neuropathol.**, v.88, p.300-306, 1994.
- SCHÖN, T., HERNANDEZ-PANDO, R.H., NEGESSE, Y., LEEKASSA, R., SUNDQVIST, T., BRITTON, S. Expression of inducible nitric oxide synthase and nitrotyrosine in borderline leprosy lesions. **British J. Dermatol.**, v.145, p.809-815, 2001.
- SIGNER, S.C., VAZQUEZ, M.A., LU, C.Y. Inhibition of macrophage Ia expression by nitric oxide. **J. Immunol.**, v.153, n.3, p.1293-1300, 1994.
- SIELING, P.A., MODLIN, R.L. T cell and cytokine patterns in leprosy skin lesions. **Springer Semin Immunopathol.**, v.13, p.413-426, 1992.
- SIELING, P.A., ABRAMS, J.S., YAMAMURA, M., SALGAME, P., BLOOM, B.R., REA, T.H., MODLIN, R.L. Immunosuppressive roles for IL-10 and IL-4 in human infection. **J. Immunol.**, v.150, n.12, p.5501-5510, 1993.

- SIELING, P.A., MODLIN, R.L. T Cytokine patterns in leprosy. **Ann. N. Y. Acad. Sci.**, v.730, p.42-52, 1994.
- SILVA, C.L., FACCIOLI, L.H., FOSS, N.T. Suppression of human monocyte cytokine release by phenolic glycolipid-1 of *Mycobacterium leprae*. **Int. J. Lepr.**, v.61, n.1, p.107-108, 1993.
- SOUZA CAMPOS, N., RATH DE SOUZA, P. Reactional states in leprosy. **Int. J. Lepr.**, vol.22, p.259-273, 1954.
- SOUZA LIMA, L. & SOUZA CAMPOS, N.- Leprides tuberculóides reacionais. In: **Lepra tuberculóide: estudo clínico-histopatológico**. São Paulo, Renascença, 1947. p.173-215.
- TAGA, K., TOSATO, G. IL-10 inhibits human T cell proliferation and IL-12 production. **J. Immunol.**, v.148, n.4, p.1143-1148, 1992.
- TAKASHASHI, M.D., ANRADE Jr., H.F., WAKAMATSU, A., SIQUEIRA, S., DE BRITO, T. Indeterminate leprosy: histopathological and histochemical predictive parameters involved in its possible change to paucibacillary or multibacillary leprosy. **Int. J. Lepr.**, v.59, n.1, p.1991
- TAYLOR-ROBINSON, A.W., LIEW, F.Y., SEVERN, A., XU, D., MCSORLEY, S.J., GARSIDE, P., PADRON, J., PHILIPS, R.S. Regulation of the immune response by nitric oxide differentially produced by T helper type 1 and T helper type 2 cells. **Eur. J. Immunol.**, v.24, n.4, p.980-984, 1994.
- TRINCHERI, G., MATSUMOTO-KOBAYASHI, M., CLARK, S.C., SHEERA, J., LONDON, L., PERRUSSIA, B. Response of resting human peripheral blood natural killer cells to interleukin-2. **J. Experiment. Med.**, v. 60, p.1147-1169, 1984.

REFERÊNCIAS BIBLIOGRÁFICAS

- VACHULA, M., WOROBEK, S., ANDERSEN, B.R. A comparison of monocyte oxidative responses in leprosy patients and healthy subjects as influenced by mycobacterial lipid treatment. **Int. J. Lepr.**, v.58, p.534-539, 1990.
- VAN DEN BOS, I.C., KHANOLKAR-YOUNG, S., DAS, P.K., LOCKWOOD, D.N.J. Immunohistochemical detection of PGL-1, LAM, 30kD and 65 kD antigens in leprosy infected paraffin preserved skin and nerve sections. **Lepr. Rev.**, v.70, p.272-280, 1999.
- VERHAGEN, C.E, WIERENGA, E.A., BUFFING, A., FABER, W., KLASTER, P., NAAFS, B., DAS, P.K. Reversal reaction in borderline leprosy is associated with a polarized shift to type 1-like *Mycobacterium leprae* T-cell reactivity in lesional skin. **J. Immunol.**, v.159, p.1470-1475, 1997.
- VERHAGEN, C.E., FABER, W., KLASTSER, P., BUFFING, A., NAAFS, B., DAS, P. Immunohistological analysis of *in situ* expression of mycobacterial antigens in skin lesions of leprosy patients across the histopathological spectrum. Association of mycobacterium lipoarabinomannan (LAM) and *Mycobacterium leprae* phenolic glycolipid-I (PGL-I) with leprosy reactions, **Am. J. Pathol.**, v.154, p.1793-1804, 1999.
- WADE, H.W. Tuberculoid changes in leprosy: II lepra reaction in tuberculoid leprosy. **Int. J. Leprosy**, v.2, p.279-292, 1934.
- WANG, T., IZUMI, S., BUTT, K.I., KAWATSU, K., MAEDA, Y. Demonstration of PGL-1 and LAMB antigens in paraffin sections of leprosy skin lesions. **Jpn. J. Leprosy**, v.61, p.161-174, 1992.
- WEISS, E., MAMELAK, A.J., LA MORGIA, S., WANG, B., FELICIANI, C., TULLI, A., SAUDER, D.N. The role of interleukin 10 in the pathogenesis and potential treatment of skin diseases. **J. Am. Acad. Dermatol.**, v.50, p.657-675, 2004.

REFERÊNCIAS BIBLIOGRÁFICAS

YAMAMURA, M., UYEMURA, K., DEANS, R.J., WEINBERG, K., REA T.H., BLOOM, B.R., MODLIN, R.L. Defining protective responses to pathogens: cytokine profiles in leprosy lesions. **Science**, v.254, n.5029, p.277-279, 1991.

YAMAMURA, M., WANG, X-H., OHMEN, J.D., UYEMURA, K., REA, T.H., BLOOM, B.R., MODLIN, R.I. Cytokine patterns of immunologically mediated tissue damage. **J. Immunology**, v.149, n.4, p.1470-1475, 1992.